

Index



01-05 Traffic Cones



06-07 Traffic Cones Accessories



08-09 Flexible Posts Lane Block



10-11 Speed Breakers & Rumble Strip



12 Warning Bollard




13-15 Rubber Speed Breakers & Rumble Strip



16-17 Parking Safety Accessories Corner Guards



18 Parking Safety - Car Stopper



19-21 Rubber Cable Protector



22-23 Wheel Chock




24-26 Traffic Baton



27 Rubber Dock Bumper



28 Wall Guard / Round Pillar Guard



29-30 Solar Road Studs



31-33 Solar Traffic Flashers



34 Rubber Hose Ramp & Kerb Ramp



35 Metal Expandable Barrier




36 Plastic Expandable Barrier



37 Aluminum Studs



38-39 Plastic Road Studs




40 Emergency Exit Light



41 Safety Fence & Floor Stand




42 Convex Mirrors



43 Dome Mirrors



44 Marine Safety Equipments




45-46 Stanchion Post and Accessories



47-48 Water Filled Barrier



49 Highway Speed Breaker



50 Metal Delineator



51-53 Wheel Lock, Guard Rail & Epoxy

RUBBER BASE TRAFFIC CONE



H2RB750-1

HEIGHT	750 MM
BASE SIZE	390X390MM
WEIGHT /UNIT	1.5KG/2.2KG
REFLECTIVE SLEEVE	4/6 INCH
COLOR	RED GRADE 2
STANDARD PACKING	15 PC./ BUNDLE



H2RB750-2

HEIGHT	750 MM
BASE SIZE	390X390MM
WEIGHT /UNIT	1.5KG/2.2KG
REFLECTIVE SLEEVE	4/6 INCH
COLOR	RED GRADE 1
STANDARD PACKING	15 PC. / BUNDLE



H2RB750-3

HEIGHT	750 MM
BASE SIZE	390X390MM
WEIGHT /UNIT	1.5KG/2.2KG
REFLECTIVE SLEEVE	4/6 INCH
COLOR	ORANGE GRADE 1
STANDARD PACKING	15 PC./ BUNDLE



H2RB750-4

HEIGHT	750 MM
BASE SIZE	390X390MM
WEIGHT /UNIT	1.5KG/2.2KG
REFLECTIVE SLEEVE	4/6 INCH
COLOR	BLUE GRADE 1
STANDARD PACKING	15 PC./ BUNDLE

- ▲ MOST ECONOMICAL TRAFFIC CONE.
- ▲ USED IN MARATHON OR CONSTRUCTION AREAS.
- ▲ USED IN EVENT'S FOR ONE TIME USAGE.
- ▲ CAN BE USED FOR RENTAL PURPOSE.



Scan For Video




Cone Ring Will be
Provided along with the cone



PLASTIC CONE

H2PC500

HEIGHT	500 MM
BASE SIZE	300X300MM
WEIGHT OF CONE	500 G
SLEEVE	4/6/ 10 INCH
STANDARD PACKING	25 PC. / BUNDLE




H2PC750

HEIGHT	750 MM
BASE SIZE	390X390MM
WEIGHT OF CONE	1.2 KG
SLEEVE	4/6/ 10 INCH
STANDARD PACKING	25 PC. / BUNDLE

H2PC750 LB

HEIGHT	750 MM
BASE SIZE	390X390MM
WEIGHT OF BASE	2.3 KG
WEIGHT OF CONE	1.2 KG
TOTAL WEIGHT	3.5KG
SLEEVE	4/6/ 10 INCH
STANDARD PACKING	10 PC. /BUNDLE



H2PC750 HEXAGONAL

HEIGHT	750 MM
BASE SIZE	HEXAGONAL
WEIGHT OF BASE	2.4 KG
WEIGHT OF CONE	1.3 KG
TOTAL WEIGHT	3.7 KG
SLEEVE	4 + 6 INCH
STANDARD PACKING	5 PC. / BUNDLE




THESE COLOR ARE AVAILABLE



Scan For Video

HEXAGONAL DIVIDER CONES




H2HX750

HEIGHT	750 MM
BASE SIZE	HEXAGONAL 420X370X1000MM
WEIGHT	4 KG
DOUBLE SLEEVE	2/4 INCH
COLOR	RED OR ORANGE
STANDARD PACKING	5 PC. / BUNDLE



Scan For Video




H2HX1000

HEIGHT	1000 MM
BASE SIZE	HEXAGONAL 420X370X1000MM
WEIGHT	5 KG
DOUBLE SLEEVE	2/4 INCH RETRO REFLECTIVE
COLOR	RED OR ORANGE
STANDARD PACKING	5 PC. / BUNDLE



Scan For Video

RUBBER BASE CONE 1000MM



H2RB1000-1 Economical

HEIGHT	1000 MM
BASE SIZE	390 X 390 MM
WEIGHT	4.5 KG
DOUBLE SLEEVE	4/6/10 INCH
COLOR	RED OR ORANGE
STANDARD PACKING	5 PC. / BUNDLE



Scan For Video



H2RB1000-2 Economical

HEIGHT	1000 MM
BASE SIZE	490 X 490 MM
WEIGHT	5.2 KG
SLEEVE	11 INCH (RETRO REFLECTIVE)
COLOR	RED OR ORANGE
STANDARD PACKING	5 PC. / BUNDLE




Scan For Video



Cone Ring Will be
Provided along with the cone




FLEXIBLE CONES (MOULDED)




H2HFLEX750

HEIGHT	750 MM
BASE SIZE	390X390 MM
WEIGHT OF CONE	2.5KG
SLEEVE	4/6 INCH
COLOR	ORANGE
STANDARD PACKING	10 PC. / BUNDLE



H2HFLEX750 WITH BASE

HEIGHT	750 MM
BASE SIZE	360X360 MM
WEIGHT OF CONE	3.5 KG
SLEEVE	4/6 INCH
COLOR	ORANGE
STANDARD PACKING	10 PC. / BUNDLE



H2HFLEX750 WITH HEAVY BASE

HEIGHT	750 MM
BASE SIZE	400X400 MM
WEIGHT OF CONE	4.5 KG
SLEEVE	4/6 INCH
COLOR	ORANGE
STANDARD PACKING	5 PC. / BUNDLE



H2HFLEX950MM WITH HEAVY BASE


HEIGHT	950 MM
BASE SIZE	390X390MM
WEIGHT OF CONE	6.2 KG
SLEEVE	8 INCH
COLOR	ORANGE
STANDARD PACKING	5 PCS. / BUNDLE

- SPECIAL FEATURE.**
1. These Cones are full flexible and have the longest life.
 2. These cone are **Moulded BASE Cones.**



Scan For Video

MOULDED TRAFFIC CONES (NON FLEXIBLE)



Reflective Sleeve
Size - 4 inch.



Reflective Sleeve
Size - 6 inch.

H2MTC750 MOULDED TRAFFIC CONE


HEIGHT	750 MM
BASE SIZE	360X360 MM
WEIGHT	2.8 KG
DOUBLE SLEEVE	4/6 INCH
COLOR	ORANGE / RED / BLUE / GREEN
STANDARD PACKING	10 PC./BUNDLE




Reflective Sleeve
Size - 6 inch.

H2MTC950 MOULDED TRAFFIC CONE

HEIGHT	950 MM
BASE SIZE	390 X 390 MM
WEIGHT	5.2 KG
DOUBLE SLEEVE	4/6 INCH
COLOR	ORANGE/RED/BLUE/ GREEN
STANDARD PACKING	5 PC./ BUNDLE



Reflective Sleeve
Size - 4 inch.



Reflective Sleeve
Size - 6 inch.

H2MTC750-H MOULDED TRAFFIC CONE

HEIGHT	750 MM
BASE SIZE	400X400 MM
WEIGHT	4 KG
DOUBLE SLEEVE	4/6 INCH
COLOR	ORANGE/RED/BLUE/GREEN
STANDARD PACKING	10 PC. / BUNDLE



Scan For Video

TRAFFIC CONE ACCESSORIES AND FLASHERS

CONE CONNECTING ROD

Cone connecting rod are used to cover the dangerous prone to accident.

OPEN LENGTH	2 METER
CLOSED LENGTH	1 METER
MATERIAL	PLASTIC



Scan For Video



CONE MESSAGE PLATE

Cone Message plate is used to give any message to the viewer. They are universal and can fit on all cones.

SIZE	6CM X 15CM
MATERIAL	PLASTIC
SIZE	400MM X 300MM
PRINT AREA	375MM X 180MM



Scan For Video



RETRACTABLE TRAFFIC CONE TOPPER

Cone topper is exclusive way to make a queue or cover dangerous areas.

MATERIAL	PLASTIC
OPEN LENGTH	3MTR
CUSTOMISATION	YOU CAN PRINT ON THE BELT FOR BRANDING



Scan For Video



CONE CONNECTING CHAIN

Cone connecting chain are used for form a queue or cover dangerous areas.

MATERIAL	PLASTIC
THICKNESS	4MM/6MM/8MM



Scan For Video



TRAFFIC CONE ACCESSORIES AND FLASHERS



SOLAR FLASHER CONE MOUNT H2-56



Scan For Video

SIZE	DIAMETER-85 MM
MATERIAL	POLYCARBONATE & ABS
SOLAR PANEL	MONO CRYSTALLINE 4V,300MA
BATTERY	2X1.2 VOLTS, 1600 MAH
BACK	36 HOURS AFTER FULL CHARGE
LED'S	4



SOLAR FLASHER CONE MOUNT 150B



Scan For Video

NO. OF LED	6PCS
SOLAR PANEL	0.4W
BATTERY	1.2V X 2PCS
BACKUP	40HOURS



BATTERY FLASHER FOR CONE



Scan For Video

NO. OF LED	1 PCS
BATTERY	D TYPE CELL
BACKUP	20HOURS

SOLAR FLASHER CONE MOUNT 309



Scan For Video

DIAMETER	18CM
LENGTH	22.5 CM
NO. OF LED	4PCS
SOLAR PANEL	0.4W
BATTERY	2.4v, 1500mah
BACKUP	60HOURS



SPRING POST AND LANE DIVIDER



SPRING POST FLEXIBLE HEAVY DUTY

HEIGHT	300/750 MM
BASE SIZE	200 MM
REFLECTIVE TAPE	2.5 INCH X 3 TAPE



Scan For Video

300MM



Scan For Video

750 MM



SPRING POST FLEXIBLE ECONOMIC

HEIGHT	750 MM
BASE SIZE	200 MM
REFLECTIVE TAPE	3 INCH X 3 TAPE



Scan For Video



SPRING POST NON FLEXIBLE (UNBREAKABLE)

HEIGHT	750 MM
BASE SIZE	200 MM
REFLECTIVE TAPE	3 INCH X 3 TAPE



Scan For Video



TABULAR SPRING POST

HEIGHT	750/900 MM
BASE SIZE	200 MM
REFLECTIVE TAPE	3 INCH X 3 TAPE



Scan For Video

SPRING POST AND LANE DIVIDER

SPRING POST WITH BASE



Scan For Video

HEIGHT	700 MM
BASE SIZE	200 MM
REFLECTIVE TAPE	3 INCH 2 TAPE



SPRING POST WITH LANE DIVIDER



Scan For Video

HEIGHT	700 MM
BASE SIZE	LENGTH 750 MM
BASE SIZE	WIDTH 250 MM
BASE SIZE	HEIGHT 80 MM
REFLECTIVE TAPE	2.5 INCH X 2 TAPE



SPRING POST FLEXIBLE (UNBREAKABLE)



Scan For Video

TAPE - GREY TAPE TEAR PROOF..

HEIGHT	900 MM
BASE SIZE	200 MM
REFLECTIVE TAPE	3 INCH X 3 TAPE



SPRING POST



Scan For Video

HEIGHT	1000 MM
BASE SIZE	200 MM
REFLECTIVE TAPE	2.5 INCH X 4 TAPE






PLASTIC SPEED BREAKER

PLASTIC SPEED BREAKER - H2PB50-1


SIZE: L 500 X W 400 X H 50 (MM)



Scan For Video

PLASTIC SPEED BREAKER - H2PB75-1

SIZE: L 750 X W 250 X H 75 (MM)



Scan For Video

PLASTIC END CAP - H2EC50-2

SIZE: L 150 X W 350 X H 50 (MM)




ONLY FIT ON
H2PB50-2



Scan For Video

PLASTIC SPEED BREAKER - H2PB50-2

SIZE: L 250 X W 350 X H 50 (MM)



Scan For Video

TO GET 40 TONS LOAD CAPACITY FILL CEMENT MIXTURE, FASTENERS & H2 BRAND EPOXY

PLASTIC SPEED BREAKER & RUMBLER STRIP

PLASTIC SPEED BREAKERS - H2P875-2

Size: L 500 x W 400 x H 75 (mm)




Scan For Video



Scan For Video

PLASTIC RUMBLER STRIP - H2RS25-1

Size: L 500 x W 125 x H 25 (mm)




PLASTIC RUMBLER H2RS15-1

Size: L 500 x W 200 x H 15 (mm)



Scan For Video



TO GET 40 TONS LOAD CAPACITY FILL CEMENT MIXTURE, FASTENERS & H2 BRAND EPOXY

WARNING BOLLARDS



**SPRING BOLLARD 800 MM
WITH HEAVY BASE**

HEIGHT	800 MM
BASE DIA	260 MM
POLE DIA	315 MM
TAPE SIZE	13.5 INCH X 1 TAPE
WEIGHT	WEIGHT - 2.500 KG



Scan For Video



**SPRING BOLLARD 1200
MM WITH HEAVY BASE**

HEIGHT	1180 MM
BASE DIA	260 MM
POLE DIA	315 MM
TAPE SIZE	13.5 INCH X 1 TAPE
WEIGHT	6 INCH X 1 TAPE 2.720 KG



Scan For Video



**H2WB -1200 WARNING BOLLARD
H2PBWB WITH BASE**

HEIGHT	1230 MM
BASE SIZE	420 MM
POLE DIA	325 MM
TAPE SIZE	4.5 INCH X 2 TAPE
WEIGHT	6.520 KG




Scan For Video

RUBBER SPEED BREAKER


RUBBER SPEED BREAKER H2RB50MM-1

Size - L 500 x W 350 x H 50 MM




RUBBER SPEED BREAKER H2RB50MM-2

Size - L 500 x W 350 x H 50MM




RUBBER SPEED BREAKER H2RB50MM-3

Size - L 500 x W 350 x H 50MM



RUBBER SPEED BREAKER H2RB50MM-4

Size: L 500 x W 350 x H 50MM




ALL MODELS HAVE GLASS BEADS FOR NIGHT REFLECTION

RUBBER SPEED BREAKER

RUBBER SPEED BREAKER H2RB50MM-5 (Super Storning)

Size - L 500 x W 350 x H 50 MM



RUBBER SPEED BREAKER H2RB50MM-6


SIZE - L 500 x W 415 x 50MM



ALL MODELS HAVE GLASS BEADS FOR NIGHT REFLECTION

RUBBER SPEED BREAKER H2RB50MM-7

SIZE - L 500 x W 400 x H 50MM



RUBBER SPEED BREAKER H2RB50MM-8

SIZE - L 500 x W 350 x W 50MM



ALL MODELS HAVE HIP REFLECTIVE TAPE FOR NIGHT REFLECTION

RUBBER SPEED BREAKER


RUBBER SPEED BREAKERS H2RB75-1

SIZE - L 500 x W 400 x H 75 (mm)




RUBBER SPEED BREAKERS H2RB75-2

SIZE- L 500 x W 425 x H 75 (mm)



RUBBER SPEED BREAKERS H2RB75-3

SIZE- L 500 x W 400 x H 75 (mm)



RUBBER & CAPS H2R-EC



L-SHAPE PILLAR CORNER GUARD



H2CP-800-6MM

LENGTH	800 MM
WIDTH	100X100 MM
THICKNESS	6-7 MM
REFLECTIVE TAPE SIZE	70 MM X 4 TAPE
PACKING	25 Pcs

TOP VIEW



H2CP-800-10 MM

LENGTH	800 MM
WIDTH	100X100 MM
THICKNESS	10-11 MM
REFLECTIVE TAPE SIZE	4 TAPE
PACKING	20 Pcs

TOP VIEW



H2CP-1000

LENGTH	1000 MM
WIDTH	100X100 MM
THICKNESS	10 MM
REFLECTIVE TAPE SIZE	70 MM X 5 TAPE
PACKING	15 Pcs

TOP VIEW



H2CP-1200

LENGTH	1200 MM
WIDTH	100X100 MM
THICKNESS	10 MM
REFLECTIVE TAPE SIZE	70 MM X 6 TAPE
PACKING	10 Pcs

TOP VIEW



Scan For Video

R-SHAPE PILLAR CORNER GUARD

H2RCP900



TOP VIEW



LENGTH	900 MM
WIDTH	100X100 MM
THICKNESS	30 MM
REFLECTIVE TAPE SIZE	60 MM X 6 TAPE
PACKING	10 Pcs

H2RCP1000



TOP VIEW



LENGTH	1000 MM
WIDTH	100X100 MM
THICKNESS	30 MM
REFLECTIVE TAPE SIZE	60 MM X 6 TAPE
PACKING	10 Pcs

H2RCP1200



TOP VIEW



LENGTH	1200 MM
WIDTH	100X100 MM
THICKNESS	30 MM
REFLECTIVE TAPE SIZE	60 MM X 8 TAPE
PACKING	10 Pcs

H2RCP550



TOP VIEW



LENGTH	550 MM
WIDTH	90X90 MM
THICKNESS	30 MM
REFLECTIVE TAPE SIZE	75 MM X 75 TAPE
PACKING	10 Pcs



Scan For Video

CAR STOPPER

PARKING STOPPER H2PS500

LENGTH	500 MM
WIDTH	160MM
HEIGHT	125 MM
TAPE SIZE	60MMX400 X 1TAPE



Scan For Video



PARKING STOPPER H2PS600

LENGTH	600 MM
WIDTH	100 MM
HEIGHT	100 MM
TAPE SIZE	(60 MM X 1 TAPE) (35 MM X 2 TAPE



Scan For Video



PARKING STOPPER H2PS1000

LENGTH	1000 MM
WIDTH	150MM
HEIGHT	60 MM
TAPE SIZE	50MM X 6 TAPE



Scan For Video



PARKING STOPPER H2PS1800

LENGTH	1800 MM
WIDTH	150 MM
HEIGHT	100 MM



Scan For Video



CABLE PROTECTOR

H2CP-1-15 PLASTIC CABLE PROTECTOR

SIZE	L 1000 x W 135 x H 20 (mm)
CABLE SIZE	H 10 x W 40 (mm)



Scan For Video




H2CP-1-15 RUBBER CABLE PROTECTOR

SIZE	L 1000 x W 135 x H 20 (mm)
CABLE SIZE	H 10 x W 40 (mm)



Scan For Video




H2CP-1-35 PLASTIC CABLE PROTECTOR

SIZE	L 1000 x W 270 x H 35MM
CABLE SIZE	H 30 x W 100MM



Scan For Video




H2CP-1-35 RUBBER CABLE PROTECTOR

SIZE	L 1000 x W 270 x H 35MM
CABLE SIZE	H 30 x W 100MM



Scan For Video




CABLE PROTECTOR

H2CP-1-75 RUBBER CABLE PROTECTOR

SIZE	L 1000 x W 250 x H 60MM
CABLE SIZE	H 45 x W 70MM



Scan For Video




H2CP -3-45 RUBBER CABLE PROTECTOR

SIZE	L 1000 x W 300 x H 50MM
CABLE SIZE	H 30 x W 30MM x3



Scan For Video




H2CP-2 RUBBER CABLE PROTECTOR

SIZE	L 1000 x W 250 x H 50MM
CABLE SIZE	H 30x W 30MM x 2



Scan For Video




H2CP-3-60 RUBBER CABLE PROTECTOR

SIZE	L 900 x W 500 x H 70 MM
CABLE SIZE	H 50 x W 60MM x 3



Scan For Video



CABLE PROTECTOR

H2CP-4 RUBBER CABLE PROTECTOR

SIZE	L 900 x W 500 x H 65MM
CABLE SIZE	H 45 x W 45MM x 4



H2CP-5 RUBBER CABLE PROTECTOR

SIZE	L 900 x W 500 x L 45MM
CABLE SIZE	H 30 x W 35MM x 5



H2CP-1-120 RUBBER CABLE PROTECTOR

SIZE	L- 1000 MM x W 575 H x 120MM
CABLE SIZE	H 100MM x W 115MM



WHEEL CHOCK

WHEEL CHOCK H2WC-1

L - 290MM x W - 180MM x H - 130MM
WT - 3.5 KG.



Scan For Video



WHEEL CHOCK H2WC-3

L - 255 MM W - 155 MM H - 185 MM
WT - 4.4 KG



Scan For Video



WHEEL CHOCK H2WC-2

L - 375MM W - 225MM X H - 225MM
WT - 13 KG.



Scan For Video



WHEEL CHOCK H2WC-4

L - 905 MM W - 190 MM H - 250 MM
WT - 6.5 KG



Scan For Video



WHEEL CHOCK H2WC-5

SIZE L 320MM x W 270MM x H 300MM
WEIGHT 11 KG.



Scan For Video



PLASTIC WHEEL CHOCK H2WC-6

SIZE L 11 INCH x W 8 INCH x H 7 INCH
WEIGHT 1.5 KG



Scan For Video



WHEEL CHOCK

WHEEL CHOCK TROLLEY H2WC-7

SIZE	W 1000 x H 800MM
WEIGHT	7 KG.



Scan For Video



H2WC-7-1



H2WC-7-2

WHEEL CHOCK H2WC-10

SIZE	L 460MM x W 220MM x H 200MM
WEIGHT	3.5 KG.



Scan For Video



AIRCRAFT WHEEL CHOCK H2WC-8

SIZE	L 237MM x W 200MM x H 175MM
WEIGHT	7.8 KG.



Scan For Video



WHEEL CHOCK TROLLEY H2WC-9

SIZE	L 240MM x W 175MM x H 190MM
WEIGHT	5 KG.



TRAFFIC BATONS/HAND HELD FLASHER (BATTERY)



FLASHER H29RG

SIZE	54CM
DIA	4CM
LEDS	6+6
FUNCTION	RED FLASH, RED STABLE, GREEN STABLE
TORCH	NO
BATTERY	2PC D-BATTERY
MATERIAL	PIPE-PVC, HANDLE-AS
LIGHT AREA	340MM



FLASHER H2-26RG

SIZE	26CM/11 INCH
DIA	4CM
LEDS	9R+9G
FUNCTION	RED FLASH, RED STABLE, GREEN STABLE
TORCH	NO
BATTERY	3 PCS AA BATTERY
MATERIAL	PIPE-PC HANDLE-ABS
LIGHT AREA	160MM



FLASHER H2L26RG

SIZE	36CM
DIA	4CM
LEDS	9R+9G
FUNCTION	RED FLASH, RED STABLE, GREEN STABLE
TORCH	NO
BATTERY	3 PCS AA BATTERY
MATERIAL	PIPE-PC HANDLE-ABS
LIGHT AREA	260MM



FLASHER H23025 STOPG0

SIZE	LENGTH 34CM
DIA	200MM
LEDS	2 LED
FUNCTION	RED BLINKING, GREEN BLINKING
TORCH	NO
BATTERY	3AA BATTERY
MATERIAL	PIPE-PVC, HANDLE-ABS



TRAFFIC BATONS/HAND HELD FLASHER (RECHARGEABLE)

FLASHER H29RGRE



Scan For Video

SIZE	54CM
DIA	4CM
LEDS	6R+6G+ 1W (TORCH)
FUNCTION	RED FLASH, RED STABLE, GREEN FLASH, GREEN STABLE, TORCH ON TOP
TORCH	YES
BATTERY	RECHARGEABLE BATTERY
MATERIAL	PIPE- PVC, HANDLE-AS
LIGHT AREA	340MM

FLASHER H2L26RGRE



Scan For Video

SIZE	36CM
DIA	4CM
LEDS	9R+9G+1W TORCH
FUNCTION	RED FLASH, RED STABLE, GREEN FLASH, GREEN STABLE, TORCH ON TOP
TORCH	YES
BATTERY	RECHARGEABLE BATTERY
MATERIAL	3PCS 600MAH NIMH BATTERY
LIGHT AREA	PIPE-PC HANDLE-ABS 260MM

FLASHER H2L26RGAA-RE (WHISTLE)



Scan For Video

SIZE	40CM
DIA	4CM
LEDS	9R+9G+1W TORCH
FUNCTION	RED FLASH, RED STABLE, GREEN FLASH, GREEN STABLE, TORCH ON TOP, WHISTLE
TORCH	YES
BATTERY	RECHARGEABLE BATTERY -
MATERIAL	3PCS 600MAH NIMH BATTERY
LIGHT AREA	PIPE- PVC, HANDLE-AS 260MM

FLASHER H26RGRE



Scan For Video

SIZE	26CM/11 INCH
DIA	4CM
LEDS	9R+9G+1H TORCH
FUNCTION	RED FLASH, RED STABLE, GREEN FLASH, GREEN STABLE, TORCH ON TOP
TORCH	YES
BATTERY	RECHARGEABLE BATTERY
MATERIAL	3PCS 600MAH NIMH BATTERY
LIGHT AREA	PIPE-PC HANDLE-ABS 160MM

TRAFFIC BATONS/HAND HELD FLASHER (RECHARGEABLE)

FLASHER H2190RG (SUPER HEAVY WHISTE)

SIZE	20.7CM
DIA	3CM
LEDS	1LED
FUNCTION	RED/GREEN IN TURN, WHISTLE
TORCH	YES
BATTERY	3.7V 2000mAh
MATERIAL	ABS
LIGHT AREA	80MM



Scan For Video



FLASHER H2 STOP GO

SIZE	LENGTH 37CM
DIA	200MM
LEDS	1 9G+9R+1W TORCH
FUNCTION	RED BLINKING, GREEN BLINKING
TORCH	YES
BATTERY	RECHARGEABLE
MATERIAL	PIPE-PVC, HANDLE-ABS



Scan For Video

FLASHER H2STOPGO-AL001

SIZE	LENGTH 33CM
DIA	175MM
LEDS	9R+1W TORCH
FUNCTION	RED BLINKING, RED STABLE, GREEN ONLY REFLECTIVE.
TORCH	YES
BATTERY	RECHARGEABLE
MATERIAL	PIPE-PVC, HANDLE-ABS



Scan For Video



RUBBER DOCK BUMPERS

H2RDB-1

LENGTH	900 MM
WIDTH	150 MM
HEIGHT	105 MM
THICKNESS	20 MM
WEIGHT	7 KG
MATERIAL	RUBBER



Scan For Video



H2RDB-3

LENGTH	900MM
WIDTH	200MM
HEIGHT	200MM
THICKNESS	50MM
WEIGHT	30KG
MATERIAL	RUBBER



Scan For Video



H2RDB-2

LENGTH	900MM
WIDTH	150MM
HEIGHT	150MM
THICKNESS	22MM
WEIGHT	12.7KG
MATERIAL	RUBBER



Scan For Video



H2RDB-4

LENGTH	450MM
WIDTH	250MM
HEIGHT	100MM
THICKNESS	20MM
WEIGHT	12KG
MATERIAL	RUBBER



Scan For Video



H2RDB-5

LENGTH	500MM
WIDTH	160MM
HEIGHT	150MM
THICKNESS	20MM
WEIGHT	10KG
MATERIAL	RUBBER



WALL GUARD/ ROUND PILLAR GUARDS



H2WG-10



Scan For Video

LENGTH	1000MM
WIDTH	200MM
HEIGHT	10MM
WEIGHT	2.5KG
MATERIAL	RUBBER



H2WG-15



Scan For Video

LENGTH	1000MM
WIDTH	155MM
HEIGHT	55MM
WEIGHT	5.2KG
MATERIAL	RUBBER



H2WG-15



Scan For Video

LENGTH	1000MM
WIDTH	300MM
HEIGHT	15MM
WEIGHT	4.5KG
MATERIAL	RUBBER

SOLAR ROAD STUD

SOLAR STUD H2AL6 WITH STEM/SHANK

SIZE	132X122X75MM, SHANK-50MM(H)X30MM(DIA)
SOLAR PANEL	0.3W
NI-MH BATTERY	1.2V/1200mAh
WORK MODE	FLASH
WORKING HOURS	96HOURS
COLOR	RED/YELLOW/GREEN/WHITE
LED	6PCS SUPER BRIGHT DIA 5MM LED PER SIDE
VISIBLE DISTANCE	1000MTR
MATERIAL	ACRYLIC REFLECTOR +PC CAP+ALUMINIUM FRAME
COMPRESSION RESISTANCE	30 TONS
WATERPROOF	>IP68
LANE	TO BE INSTALLED IN THE CORNER OF ROAD ONLY FOR LONG LIFE



Scan For Video




SOLAR STUD H2AL1R2 WITHOUT STEM/SHANK

SIZE	115*100*22MM
SOLAR PANEL	3V90mA
NI-MH BATTERY	1.2V/1200mAh
WORK MODE	FLASH
WORKING HOURS	60HOURS
COLOR	RED/YELLOW
LED	6PCS SUPER BRIGHT DIA 5MM LED PER SIDE
VISIBLE DISTANCE	500MTR
MATERIAL	ACRYLIC REFLECTOR +PC CAP+ALUMINIUM FRAME
COMPRESSION RESISTANCE	30 TONS
WATERPROOF	>IP68
LANE	TO BE INSTALLED IN THE CORNER OF ROAD ONLY FOR LONG LIFE



Scan For Video



SOLAR STUD H2AL1R3 WITHOUT STEM/SHANK

SIZE	100X100X23MM
SOLAR PANEL	3V90mA
NI-MH BATTERY	1.2V/1200mAh
WORK MODE	FLASH
WORKING HOURS	96HOURS
COLOR	RED/YELLOW
LED	6PCS SUPER BRIGHT DIA 5MM LED PER SIDE
VISIBLE DISTANCE	1000MTR
MATERIAL	ACRYLIC REFLECTOR +PC CAP+ALUMINIUM FRAME
COMPRESSION RESISTANCE	30 TONS
WATERPROOF	>IP68
LANE	TO BE INSTALLED IN THE CORNER OF ROAD ONLY FOR LONG LIFE



Scan For Video



SOLAR ROAD STUD

SOLAR STUD H2AL5 WITH STEM/SHANK




SIZE	132X122X75MM, SHANK-60MM(H)X30MM(DIA)
SOLAR PANEL	2.2W
NI-MH BATTERY	1.2V/1300MAH
WORK MODE	FLASH
WORKING HOURS	24HOURS
COLOR	RED/YELLOW
LED	6PCS SUPER BRIGHT DIA 5MM LED PER SIDE
VISIBLE DISTANCE	500MTR
MATERIAL	ALUMINIUM
COMPRESSION RESISTANCE	15TONS
WATERPROOF	>IP65
LANE	TO BE INSTALLED IN THE CORNER OF ROAD ONLY FOR LONG LIFE

FRONT



BACK



SOLAR STUD PLASTIC WITH SHANK/WITHOUT SHANK



SIZE	115MMX90MMX20MM, SHANK-45MM(H)X20MM(DIA)
SOLAR PANEL	3.5V
NI-MH BATTERY	1.5V/1300MAH
WORK MODE	FLASH
WORKING HOURS	24HOURS
COLOR	RED/YELLOW
LED	6PCS SUPER BRIGHT DIA 5MM LED PER SIDE
VISIBLE DISTANCE	500MTR
MATERIAL	PC
COMPRESSION RESISTANCE	10TONS
WATERPROOF	>IP65
LANE	TO BE INSTALLED IN THE CORNER OF ROAD ONLY FOR LONG LIFE



SOLAR FLASHERS/ SOLAR BLINKERS



SOLAR BARRICADE LIGHT H2-150B



SIZE	LENGTH-33CM
SOLAR PANEL	4V 60MAH
NI-MH BATTERY	2.4V 400MAH NI-MH BATTERY
WORK MODE	FLASH/CLOSE
WORKING HOURS	24 HOURS
COLOR	RED/YELLOW
LED	6 PCS ULTRA BRIGHT LEDS
VISIBLE DISTANCE	500MTR
MATERIAL	PP/ACRYLIC
WATERPROOF	CAN BE USED IN RAINY DAY, BUT NOT IP68
USAGE	CAN BE FIT ON BARRIER, CONES, PAVEMENT, ROAD

SOLAR BARRICADE LIGHT H2-56



SIZE	HEIGHT-16CM, DIA-9CM
SOLAR PANEL	3V120AH
NI-MH BATTERY	600MAH NI-CD BATTERY
WORK MODE	FLASH/CLOSE
WORKING HOURS	24HOURS
COLOR	RED/YELLOW
LED	4 PC
VISIBLE DISTANCE	500MTR
MATERIAL	AS HULL, ABS BASE
WATERPROOF	CAN BE USED IN RAINY DAY, BUT NOT IP68
USES	CAN BE FIT ON BARRIER, CONES, PAVEMENT, ROAD



SOLAR BLINKER H2-309



SIZE	HEIGHT-22.5CM, DIA-18CM
SOLAR PANEL	4V100MAH
NI-MH BATTERY	2.4V 600MAH
WORK MODE	BLINKING, FAST BLINKING, STABLE, OFF
WORKING HOURS	24HOURS
COLOR	RED/YELLOW
LED	4 PCS HIGH INTENSITY LED BULB
VISIBLE DISTANCE	500MTR
MATERIAL	FRAME-PP SHELL-AS
LENS	DOUBLE LENS WITH ADVANCED OPTICS FOR HIGH VISIBILITY
USAGE	CAN BE FIT ON BARRIER, CONES, PAVEMENT, ROAD





SOLAR FLASHERS/ SOLAR BLINKERS

NIGHT VIEW

SOLAR BLINKER H2-320



Scan For Video

SIZE	LENGTH-33CM
SOLAR PANEL	4V60MAH
NI-MH BATTERY	3.2V LITHIUM BATTERY
WORK MODE	FLASH/CLOSE
WORKING HOURS	12HOURS
COLOR	RED/YELLOW
LED	8PCS ULTRA BRIGHT LEDS
VISIBLE DISTANCE	500MTR
MATERIAL	
WATERPROOF	CAN BE USED IN RAINY DAY, BUT NOT IP68
SPECIAL FUNCTION	SWITCH FOR POWER USE SOLAR OR BATTERY
USAGE	CAN BE FIT ON BARRIER, CONES, PAVEMENT, ROAD

SOLAR CONE FLASHER H2-A70



Scan For Video

SIZE	750MM HEIGHT
SOLAR PANEL	4V 60MAH
NI-MH BATTERY	1.2V 600MAH NI-MH BATTERY
WORK MODE	FLASH/CLOSE
WORKING HOURS	12HOURS
COLOR	RED
LED	3LEDS
VISIBLE DISTANCE	500MTR
MATERIAL	WATER PROOF CLOTH, BASE-PLASTIC
WATERPROOF	CAN BE USED IN RAINY DAY, BUT NOT IP68
SPECIAL FUNCTION	FOLDABLE TO ZERO HEIGHT, PORTABLE

DAY VIEW



Scan For Video


SOLAR BLINKER 300MM H2-50



Scan For Video

SIZE	DIA-300MM
SOLAR PANEL	10W SOLAR PANEL WITH 5YR WARRANTY
NI-MH BATTERY	6V10MAH
WORK MODE	FLASH/CLOSE
WORKING HOURS	12/24 HOURS
COLOR	RED/YELLOW
LED	120PCS
VISIBLE DISTANCE	1KM
MATERIAL	ABS BODY, ACRYLIC LENS
WATERPROOF	CAN BE USED IN RAINY DAY, BUT NOT IP68

SOLAR DIRECTION SIGN WITH STAND



Scan For Video

SIZE	LENGTH-1300MM WIDTH-600MM
SOLAR PANEL	10W SOLAR PANEL WITH 5YR WARRANTY
NI-MH BATTERY	6V10MAH
WORK MODE	RIGHT ARROW, LEFT ARROW, BOTH ARROW
WORKING HOURS	12 HOURS
COLOR	RED/YELLOW
LED	60LEDS
VISIBLE DISTANCE	500MTR
MATERIAL	SHEET METAL
WATERPROOF	CAN BE USED IN RAINY DAY, BUT NOT IP68

SOLAR FLASHERS/ SOLAR BLINKERS



SOLAR CHEVRONS

SIZE	600X900MM, 600X750MM
SOLAR PANEL	10W SOLAR PANEL WITH 5YR WARRANTY
NI-MH BATTERY	6V10MAH
WORK MODE	RIGHT ARROW, LEFT ARROW
WORKING HOURS	108 HOURS
COLOR	RED/YELLOW
LED	117X130MM
VISIBILE DISTANCE	500MTR
MATERIAL	SHEET METAL/3M TAPE/ACP 2MM SHEET
WATERPROOF	CAN BE USED IN RAINY DAY, BUT NOT IP68



Scan For Video



SOLAR BARRICADE LIGHT H2-A002

SIZE	360X125X202MM
SOLAR PANEL	1.8W,9V/200MA
NI-MH BATTERY	6V/5AH
WORK MODE	FLASHING/OFF
WORKING HOURS	200 HOURS
COLOR	RED AND BLUE
LED	48RED+48BLUE
VISIBILE DISTANCE	1KM
MATERIAL	PC lens, PP frame and ABS base
WATERPROOF	CAN BE USED IN RAINY DAY, BUT NOT IP68




Scan For Video

SOLAR BARRICADE LIGHT H2-380

SIZE	380MM*400MM*101MM
SOLAR PANEL	5V 170MA
NI-MH BATTERY	3.7/2AH LI BATTERY
WORK MODE	FLASHING/OFF
WORKING HOURS	12HOURS
COLOR	RED
LED	8PCS OF DIA 85MM HGH INTENSITY LED
VISIBILE DISTANCE	500MTR
MATERIAL	PP, ACRYLIC
WATERPROOF	CAN BE USED IN RAINY DAY, BUT NOT IP68



Scan For Video



SOLAR BLINKER H2-311

SIZE	HEIGHT-22.5CM, DIA-18CM
SOLAR PANEL	5V 160MA
NI-MH BATTERY	3.7V 2000MAH
WORK MODE	4 FUNCTIONS
WORKING HOURS	24HOURS
COLOR	RED/YELLOW
LED	9 PCS HIGH INTENSITY LED BULB
VISIBILE DISTANCE	500MTR
MATERIAL	FRAME-PP SHELL-AS
WATERPROOF	CAN BE USED IN RAINY DAY, BUT NOT IP68
SPECIAL FUNCTION	IT WORK ON SOLAR AND ALSO YOU CAN RECHARGE THE SAME WITH CHARGER.
USAGE	CAN BE FIT ON BARRIER, CONES, PAVEMENT, ROAD



Scan For Video



RUBBER HOSE RAMP & KERB RAMP

BATTERY OPERATED FLASHERS

H2 KERB RAMP

LENGTH	325MM
WIDTH	500MM
HEIGHT	140MM
WEIGHT	10.5KG
MATERIAL	RUBBER



Scan For Video

H2-HR HOSE RAMP

LENGTH	860MM
WIDTH	290MM
HEIGHT	90MM
WEIGHT	14 KG
MATERIAL	RUBBER



Scan For Video

H2-1020R

DIAMETER	9.5 CM
HEIGHT	13 CM
BATTERY	TWO D
NO OF LED'S	8
MATERIAL	PVC & ABS



Scan For Video

H2-ST121


DIAMETER	10 CM
HEIGHT	5 CM
BATTERY	THREE AA
NO OF LED'S	12
MATERIAL	PVC & ABS



Scan For Video

METAL EXPANDABLE BARRIER

H2MB-1



Scan For Video

HEIGHT	1MTR/1000MM
OPEN LENGTH	3.5 METER
WEIGHT	29KG
WHEELS	4 NYLON WHEELS 100MM
MATERIAL	MILD STEEL(METAL)
PAINT	POWDER COATED
THICKNESS	1.6MM
PIPE	70X70MM
MOVALBLE FLAT	40X20MM
STRIP SIZE	

H2MB-2



Scan For Video

HEIGHT	1.2MTR/1200MM
OPEN LENGTH	3.5 METER
WEIGHT	33KG
WHEELS	4 NYLON WHEELS 100MM
MATERIAL	MILD STEEL(METAL)
PAINT	POWDER COATED
THICKNESS	1.6MM
PIPE	70X70MM
MOVALBLE FLAT	40X20MM
STRIP SIZE	


H2MB-3



Scan For Video

HEIGHT	1.2/1.5MTR, 1200/1500MM
OPEN LENGTH	5 METER
WEIGHT	50/60 KG
WHEELS	6 NYLON WHEELS 100MM
PAINT	POWDER COATED
THICKNESS	1.6MM
PIPE	70X70MM
MOVALBLE FLAT	40X20MM
STRIP SIZE	

H2MB-4



Scan For Video

HEIGHT	1MTR
OPEN LENGTH	4MTR/6MTR
WEIGHT	25KG/30KG
WHEELS	6 NYLON WHEELS 50MM
PAINT	POWDER COATED
THICKNESS	2MM
PIPE	37.5MM X 37.5MM
MOVALBLE FLAT	37.5MMX2MM
STRIP SIZE	



PLASTIC EXPANDABLE BARRIER



PLASTIC EXPANDABLE BARRIER H2EB-1



Scan For Video

HEIGHT	1000MM/1MTR
OPEN LENGTH	2.5MTR
WEIGHT	2.75KG
WATER FILLING CAPACITY	10LTR
MATERIAL	PLASTIC PP
COLOR	YELLOW RED



PLASTIC EXPANDABLE BARRIER H2EB-2



Scan For Video

HEIGHT	1000MM/1MTR
OPEN LENGTH	2.5MTR
WEIGHT	7KG
WATER FILLING CAPACITY	10LTR
MATERIAL	PLASTIC PP
COLOR	RED




PLASTIC EXPANDABLE BARRIER H2EB-3



Scan For Video

HEIGHT	1000MM/1MTR
OPEN LENGTH	4MTR
WEIGHT	15.5KG
WATER FILLING CAPACITY	NA
MATERIAL	PLASTIC-PP
COLOR	YELLOW



PLASTIC EXPANDABLE BARRIER H2EB-4



Scan For Video

HEIGHT	800MM
OPEN LENGTH	1140MM
WEIGHT	2.75KG
WATER FILLING CAPACITY	8LTR
MATERIAL	PLASTIC PP
COLOR	RED

ALUMINIUM ROAD STUD

H2AL-1 ALUMINIUM ROAD STUD WITH SHANK

SIZE	100(L)X100(W)X20(H)
SHANK	50MM
MATERIAL	ALUMINIUM
REFLECTOR	PLASTIC
HOLE	NO



H2AL-2 ALUMINIUM ROAD STUD WITH NAILS

SIZE	100(L)X100(W)X20(H)
SHANK	NO
MATERIAL	ALUMINIUM
REFLECTOR	PLASTIC
HOLE	YES WITH BOLT



H2AL-3 ALUMINIUM ROAD STUD WITH NAILS

SIZE	100(L)X100(W)X20(H)
SHANK	NO
MATERIAL	ALUMINIUM HEAVY DUTY
REFLECTOR	PLASTIC
HOLE	YES WITH BOLT



H2AL-4 ALUMINIUM ROAD STUD WITH NAILS

SIZE	100(L)X100(W)X20(H)
SHANK	NO
MATERIAL	ALUMINIUM HEAVY DUTY
REFLECTOR	42 GLASS BEADS
HOLE	YES WITH BOLT



H2AL-5 ALUMINIUM ROAD STUD WITH NAILS

SIZE	100(L)X80(W)X20(H)
SHANK	NO
MATERIAL	ALUMINIUM HEAVY DUTY
REFLECTOR	GLASS BEADS 42
HOLE	YES WITH BOLT



H2AL-6 ALUMINIUM ROAD STUD WITH SHANK

SIZE	100(L)X100(W)X20(H)
SHANK	50MM
MATERIAL	ALUMINIUM HEAVY DUTY
REFLECTOR	GLASS BEADS 42
HOLE	NO



H2AL-7 ALUMINIUM ROAD STUD WITH NAILS

SIZE	100(L)X100(W)X20(H)
SHANK	NO
MATERIAL	ALUMINIUM HEAVY DUTY
REFLECTOR	PLASTIC REFLECTOR SMALL
HOLE	YES WITH BOLT



Scan For Video

PLASTIC ROAD STUDS

PLASTIC ROAD STUD H2PRS-01

SIZE	100(L)X90(W)X20(H) MM
BODY MATERIAL	ABS
REFLECTOR MATERIAL	ACRYLIC



PLASTIC ROAD STUD H2PRS-03

SIZE	100(L)X100(W)X20(H) MM
BODY MATERIAL	ABS
REFLECTOR MATERIAL	ACRYLIC



PLASTIC ROAD STUD H2PRS-02

SIZE	100(L)X90(W)X20(H) MM
BODY MATERIAL	ABS HEAVY
REFLECTOR MATERIAL	ACRYLIC



PLASTIC ROAD STUD H2PRS-04

SIZE	120(L)X80(W)X20(H) MM
BODY MATERIAL	ABS
REFLECTOR MATERIAL	ACRYLIC



Scan For Video

PLASTIC ROAD STUDS

PLASTIC ROAD STUD H2PRS-05 WITH SHANK

SIZE	115(L)X90(W)X20(H) MM, SHANK-30MM
BODY MATERIAL	ABS
REFLECTOR MATERIAL	ACRYLIC



PLASTIC ROAD STUD H2PRS-06 WITH SHANK

SIZE	100(L)X90(W)X20(H) MM, SHANK-30MM
BODY MATERIAL	ABS
REFLECTOR MATERIAL	ACRYLIC



3M PLASTIC ROAD STUD WITHOUT SHANK

SIZE	100(L)X90(W)X18(H) MM
BODY MATERIAL	ABS
REFLECTOR MATERIAL	ACRYLIC



3M PLASTIC ROAD STUD WITH SHANK

SIZE	100(L)X90(W)X18(H) MM, SHANK-30MM
BODY MATERIAL	ABS
REFLECTOR MATERIAL	ACRYLIC



Scan For Video

EMERGENCY EXIT LIGHT

EMERGENCY EXIT LIGHT H2-EL-1

LED BEAM	10 WATT EACH
LED COLOR	RED LED HIGH VISIBILITY
BATTERY	12V/4.5AH OR 2X6V/4.5AH
BEAM LIGHT DURATION	90 MINS
AUX SUPPLY	220V AC
CHARGIN CURRENT	300 mA to 500 Ma
NO OF BEAM	10WX2
DIMENSION	290X130X360MM(HEIGHT)
WEIGHT	4.5KG WITH BATTERY
PANIC ALARM	OPTIONAL
OPTION	EMERGENCY EXIT, EXIT, WITHOUT ANY MESSAGE



Scan For Video



Scan For Video



Scan For Video

EMERGENCY EXIT LIGHT H2-EL-2

BOARD SIZE	6INCHX12INCH
BOARD MATERIAL	ACRYLIC
BODY MATERIAL	PLASTIC GREY
LED COLOR	RED/GREEN
BATTERY	3.7V
BACKUP	3 HOURS
BEAM LIGHT	AUTO ON OFF ON MAINS FAILURE
AUX SUPPLY	220V AC
CHARGIN CURRENT	300 mA to 500 Ma
MATTER ON BOARD	EXIT, EMERGENCY EXIT, CAN CUSTOMIZED AS PER REQUIREMENT



Scan For Video

PLASTIC SAFETY FENCE



SAFETY FENCE ROLL FORM

SIZE	1X45MTR
WEIGHT	4KG
MATERIAL	HDPE
USAGE	FOR BARRICADE THE DANGEROUS AREAS
MESH SIZE	1.5INCHX2INCH
GSM	85 TO 90 GSM



Scan For Video

PLASTIC FLOOR STAND

H2 MESSAGE FLOOR CONE/MESSAGE CONE

SIZE	HEIGHT-670MM. WIDTH-280X280MM
MATERIAL	LDPE
COLOR	YELLOW OR CAN CUSTOMIZED IF BULK ORDER
PRINTING	WET FLOOR, MEN AT WORK, WORK IN PROGRESS, NO PARKING CAN CUSTOMIZED ALSO AS PER REQUIREMENT
WEIGHT	1.2KG



Scan For Video

H2 PAS PLASTIC A STAND

SIZE	HEIGHT-600MM, BOTTOM WIDTH-300MM. TOP WIDTH-210MM, MIDDLE WIDTH-260MM
MATERIAL	PP
COLOR	YELLOW OR CAN CUSTOMIZED IF BULK ORDER
PRINTING	WET FLOOR, MEN AT WORK, WORK IN PROGRESS, NO PARKING CAN CUSTOMIZED ALSO AS PER REQUIREMENT
WEIGHT	800 GRAMS



Scan For Video

CONVEX MIRROR

1. Exact Size - "What we say is what you get "
2. Strong mirror body to bear all weather condition.
3. We have share weight with customer to avoid buying poor quality.
4. Four holes on the back of all mirror which can face all weather condition after fixing.



Scan For Video



H2 MS POLE



120CM/48 INCH



100CM/40 INCH



80CM/32 INCH



75CM/30 INCH



60CM/24 INCH



55CM/22 INCH



45CM/18 INCH

DOMI MIRROR

FULL DOMI MIRROR

SIZE	12/18/24/32/36
MATERIAL	ACRYLIC



QUARTER DOMI MIRROR

SIZE	12/18/24/32/36
MATERIAL	ACRYLIC



HALF DOMI MIRROR

SIZE	12/18/24/32/36
MATERIAL	ACRYLIC



Scan For Video



MARINE SAFETY EQUIPMENTS

LIFEBUOY

A LIFEBUOY, RING BUOY, LIFERING, LIFESAVER OR LIFE BELT, ALSO KNOWN AS A "KISBY RING" OR "PERRY BUOY", IS A LIFE SAVING BUOY DESIGNED TO BE THROWN TO A PERSON IN THE WATER, TO PROVIDE BUOYANCY, TO PREVENT DROWNING.



Scan For Video



CRUST	LOW PRESSURE POLYETHYLENE
INNER MATERIAL	HARD PU
OUTER DIAMETER	720MM
INNER DIAMETER	440MM
WEIGHT	>=2.5KG
BUOYANCY	>14.5KG

LIFEJACKET

A LIFEJACKET IS A TYPE OF PERSONAL FLOTATION DEVICE DESIGNED TO KEEP A PERSON'S AIRWAY CLEAR OF THE WATER WHETHER THE WEARER IS CONSCIOUS OR UNCONSCIOUS.



Scan For Video

FRONT VIEW




BACK VIEW



OUTSIDE MATERIAL	:TERYLENE
INSIDE MATERIAL	:PE FOAM
BUOYANCY	:>10.5KG

STANCHION POST AND ACCESSORIES

STANCHION POST, SIGN STAND, SCREEN SIGN STAND ARE BASICALLY USED AT AIRPORTS, HOTELS, MALLS, CINEMA HALLS, COUNTERS, ETC. FOR QUEUE MANAGEMENT AND DISPLAYING USEFUL INFORMATION TO CUSTOMERS



STANCHION POST ECO H2-ECO

DIAMETER OF POLE	63MM
BELT SIZE	2MTR, 2.75MTR
HEIGHT OF POLE	1000MM
BASE	320X320MM
WEIGHT	8 KG./CUSTOMIZATION UPTO 12 KG.



Scan For Video




STANCHION POST SUPREME H2-SUP

DIAMETER OF POLE	51MM
ROPE SIZE	1.5MTR
HEIGHT OF POLE	895MM
BASE	320X320MM
WEIGHT	8 KG./CUSTOMIZATION UPTO 12 KG.



Scan For Video



STANCHION POST DOUBLE BELT

DIAMETER OF POLE	63MM
BELT SIZE	2.75MTR x 2
HEIGHT OF POLE	910MM
BASE	320X320MM
WEIGHT	8 KG./CUSTOMIZATION UPTO 12 KG.



Scan For Video



STANCHION POST WITH SCREEN H2-SCR

DIAMETER OF POLE	51MM
BELT SIZE	985MM
HEIGHT OF POLE	1000MM
BASE	320X320MM
WEIGHT	8 KG./CUSTOMIZATION UPTO 12 KG.

STANCHION POST AND ACCESSORIES

STANCHION POST, SIGN STAND, SCREEN SIGN STAND ARE BASICALLY USED AT AIRPORTS, HOTELS, HOSPITALS, MALLS, CINEMA HALLS, COUNTERS, ETC. FOR QUEUE MANAGEMENT AND DISPLAYING USEFUL INFORMATION TO CUSTOMERS



VELVET ROPE H2-VR

DIAMETER OF HOOK	32MM
LENGTH OF ROPE	1.5MTR
COLOR	RED/BLUE



Scan For Video



WALL MOUNTING UNIT

BELT SIZE	2.75MTR
DIAMETER OF POST	63MM
STICK SHEET	115X105MM



Scan For Video



SIGN STAND VERTICAL A4

SIZE	A4
A4 SIZE	215X315MM



Scan For Video



SIGN STAND HORIZONTAL A4

SIZE	A4
A4 SIZE	315X215MM



Scan For Video



SIGN STAND HORIZONTAL

SIZE	A3
A3 SIZE	300X425MM



Scan For Video



SIGN STAND VERTICAL

SIZE	A3
A3 SIZE	425X300MM



Scan For Video

WATER FILLED BARRIERS

STANCHION POST, SIGN STAND, SCREEN SIGN STAND ARE BASICALLY USED AT AIRPORTS, HOTELS, HOSPITALS, MALLS, CINEMA HALLS, COUNTERS, ETC. FOR QUEUE MANAGEMENT AND DISPLAYING USEFUL INFORMATION TO CUSTOMERS

H2WFB-1000

BARRIER SIZE	L1000XW500XH800 MM
WATER FILLING	20 LTR.
CONNECTOR SIZE	L1100XW160XH500 MM
WATER FILLING	20 LTR.



Scan For Video



H2WFB1000-NEW



Scan For Video



H2WFB-1540

BARRIER SIZE	L1540XW430XH1020 MM
WATER FILLING	25 LTR.



Scan For Video



H2WFB-2020

BARRIER SIZE	L2020XW400XH1265 MM
WATER FILLING	100 LTR.



Scan For Video



WATER FILLED BARRIERS

STANCHION POST, SIGN STAND, SCREEN SIGN STAND ARE BASICALLY USED AT AIRPORTS, HOTELS, HOSPITALS, MALLS, CINEMA HALLS, COUNTERS, ETC. FOR QUEUE MANAGEMENT AND DISPLAYING USEFUL INFORMATION TO CUSTOMERS

H2WFB-1020

BARRIER SIZE	L2100XW580XH1020 MM
WATER FILLING	100 LTR.



H2WFB-1700

BARRIER SIZE	L1700XW400XH1000 MM
WATER FILLING	50 LTR.



H2WFB-760

BARRIER SIZE	L1000XW350X H760 MM
WATER FILLING	20LTR/(Sand Filled)



H2WFB-790

BARRIER SIZE	L1200XW460X H790 MM
WATER FILLING	20LTR



H2WFB-3855

BARRIER SIZE	L1000XW380X H855 MM
WATER FILLING	20 LTR.





HIGHWAY SPEED BREAKERS & RUMBLER STRIP - SUPER DUTY

NO CEMENT FILLING REQUIRED
DESIGNED FOR THE EXTREMELY HEAVY TRAFFIC APPLICATION

STEEL REINFORCED SPEED BUMP

SIZE: L 1000 X W 450 X H 60 (MM)



Scan For Video



HIGHWAY SPEED BREAKERS - H2PB50-3

SIZE: L 350 X W 250 X H 50 (MM)



Scan For Video



HIGHWAY SPEED BREAKERS - H2PB50-4

SIZE: L 500 X W 350 X H 50 (MM)



Scan For Video



HIGHWAY RUMBLER STRIP - H2RS25-2

L-500 X W125 X H25 (MM)



Scan For Video



NO COLOR FADING AS YELLOW COLOR IS FULL YELLOW
& NOT BLACK FROM BOTTOM LIKE IN RUBBER BREAKERS

METAL DELINEATOR



H2MD-1

LENGTH	900/1000/1200MM
DIAMETER	75 MM
REFLECTIVE TAPE	3 INCH X 3
REFLECTOR	NO
JALI	12 INCH



Scan For Video



H2MD-2

LENGTH	750MM
DIAMETER	48/63MM
REFLECTIVE TAPE	1 INCH X 2
REFLECTOR	100MM
JALI	YES



Scan For Video



H2MD-3

LENGTH	750MM
DIAMETER	48MM
REFLECTIVE TAPE	1 INCH X 2
REFLECTOR	100MM X2
JALI	NO



Scan For Video



H2MD-4

LENGTH	900/1000/1200MM
DIAMETER	50MM
REFLECTIVE TAPE	2 INCH X 3
REFLECTOR	NO
JALI	8 INCH




Scan For Video



H2MD-5

LENGTH	1200MM
REFLECTIVE TAPE	RETRO



M.S. WHEEL LOCK

A WHEEL CLAMP, ALSO KNOWN AS WHEEL BOOT, PARKING BOOT, OR DENVER BOOT, IS A DEVICE THAT IS DESIGNED TO PREVENT MOTOR VEHICLES FROM BEING MOVED.



H2TL-1

TOTAL LENGTH	485MM
TOTAL WIDTH	275MM
LOCK AREA	175-275MM
NO. OF KEYS	3
USAGE	FOR SMALL CAR



Scan For Video



H2TL-2

TOTAL LENGTH	540MM
TOTAL WIDTH	420MM
LOCK AREA	420X200MM
NO. OF KEYS	2
USAGE	FOR SUV's & TEMPO's



Scan For Video



H2TL-3

TOTAL LENGTH	800MM
TOTAL WIDTH	450MM
LOCK AREA	450x200MM
NO. OF KEYS	2
USAGE	FOR SUV's & SMALL TRUCK



Scan For Video



H2ML-1

TOTAL LENGTH	260MM
TOTAL WIDTH	70MM
LOCK AREA	10MM
NO. OF KEYS	2
USAGE	FOR MOTORCYCLE



Scan For Video

M.S. WHEEL LOCK

A WHEEL CLAMP, ALSO KNOWN AS WHEEL BOOT, PARKING BOOT, OR DENVER BOOT, IS A DEVICE THAT IS DESIGNED TO PREVENT MOTOR VEHICLES FROM BEING MOVED.



H2TL-5

TOTAL LENGTH	950MM
TOTAL WIDTH	270MM
TOTAL HEIGHT	390MM
LOCK AREA	90-150CM
NO OF KEYS	3
USAGE	FOR ALL TRUCKS



Scan For Video

M.S. PARK SAVER

PARK SAVER ARE USED TO BLOCK YOUR PARKING SPACE SO THAT WHEN YOUR CAR CAME THE PARKING WILL NOT BE USED BY ANOTHER PERSON

H2PS-1

TOTAL LENGTH	600MM
TOTAL WIDTH	185MM
HEIGHT	370MM
NO. OF KEYS	2
USAGE	FOR DEDICATED CAR PARKING



Scan For Video



H2PS-2

LENGTH	105MM
DIAMETER	170MM
REFLECTIVE TAPE	480
REFLECTOR	3
JALI	FOR DEDICATED CAR PARKING



Scan For Video



GUARD RAIL REFLECTOR

H2GR-1

SIZE	120X75X45MM
BASE	45X60MM



Scan For Video



H2GR-2

SIZE	120X75X45MM
BASE	45X60MM



Scan For Video



EPOXY

USED FOR FIXING SOLAR STUD , ROAD STUD, SPEED BREAKER AND SPRING POST



Scan For Video



EPOXY 7KG PER
SET BOX 28KG



Scan For Video



EPOXY WITH SAND
4.5KG SET. BOX 18KG

SPEED INDICATOR DEVICES-2 DIGITS

H2-SID-005

PRODUCT NAME	SID-005
MATERIAL	PC SHELL+ GALVANIZED IRON/ALUMINUM(OPTIONAL)
DISPLAY MODE	2-DIGIT LED DISPLAY *CUSTOMIZED 3 DIGITS IS AVAILABLE
FRAME SIZE	(W) 620MM x (H) 560MM x (T) 150MM
	(W) 24.4" x (H) 22" x (T) 5.9"
DISPLAY FRAME SIZE	(W) 400MM x (H) 400MM
	(W) 15.7" x (H) 15.7"
OPERATING TEMPERATURES F (C)	-20° TO +80°
SPEED UNITS	KM/H
WORKING VOLTAGE	DC12V/SOLAR (OPTIONAL)
STANDBY POWER CONSUMPTION	1.2W MAX POWER CONSUMPTION : 11W
WATERPROOF LEVEL	IP65
VISIBLE DISTANCE	AROUND 800 METERS



Scan For Video

ROAD LIGHT BARRIER

H2RFLB

PRODUCT NAME	ROAD LIGHT BARRIER
MATERIAL	PLASTIC
SIZE	(H) 900MM x (W) 230MM
WEIGHT	1.6 KG
COLOR	GREEN (OPTIONAL)



SPEED INDICATOR DEVICES-3 DIGITS

H2SID-004-03

PRODUCT NAME	SID-004-03
MATERIAL	PC SHELL + GALVANIZED IRON
DISPLAY MODE	3-DIGIT LED DISPLAY
FRAME SIZE	(W) 860MM x (H) 580MM x (T) 240MM
OPERATING TEMPERATURES F (C)	-20° TO +80°
SPEED UNITS	KM/H
WORKING VOLTAGE	DC12V/SOLAR (OPTIONAL)
STANDBY POWER CONSUMPTION	70mA
WORKING CURRENT	400mA
WATERPROOF LEVEL	IP65
VISIBLE DISTANCE	AROUND 500 METERS



Scan For Video



POLICE SHOULDER LIGHT



Scan For Video



H2PSL

PRODUCT NAME	LAMP GRAVITY INDUCTIVE SHOULDER LAMP
SIZE	82 X 38 X 20 MM
WEIGHT	60G
APPEARANCE COLOR	RED BLUE / CUSTOM
BATTERY CAPACITY	500 mAh
WORKING HOURS	RED AND BLUE FLASH 16H: LED LIGHTING 13
CHARGING TIME	< 1H
USING ENVIRONMENT	-30~60°C
POSITION STATE DETECTION	GRAVITY SENSING
SWITCH STROBOSCOPIC MODE	AUTOMATIC GRAVITY INDUCTION OR MANUAL ADJUSTMENT
LED BEAD	10PCS FOR HORIZONTAL : 7PCS FOR VERTICAL
POWER ADAPTER	5V 500MA MAX
LEVEL OF PROTECTION	IPX66
CHARGING INDICATION	MATCHING CHARGER WITH RED / GREEN DOUBLE COLOR CONVERSION LED LIGHT, RED LIGHT WHEN CHARGING, GREEN LIGHT AFTER CHARGING.

POLICE ALCOHOL ANALYZER



Scan For Specification

H2PAA

MEASUREMENT PATTERN	AUTOMATIC DETECTION
MEASUREMENT RANGE	0MG/100ML~ 400MG/100ML (BAC)
SENSITIVITY	0.5MG/100ML BAC
DISPLAY MODE	1.54 INCH LCD COLOR DISPLAY, NO WINE DISPLAY GREEN, AND VOICE PROMPT "THANK YOU FOR COOPERATION" RED AND BLUE WARNING LIGHTS FLASH WHEN ALCOHOL IS PRESENT, ACCOMPANIED BY THE VOICE "YOU HAVE BEEN DRINKING"
BATTERY	18650 LITHIUM BATTERY: 4.2V/2
TORCH LIGHT	CAN CHOOSE HIGH - BRIGHT WHITE LIGHT, THERE IS A BURST AND FLASH MODE CAN BE SELECTED
POWER CONSUMPTION	ALCOHOL TESTING-50MA, FLASHLIGHT ALL ON-600MA
BATON FUNCTION	WARNING RED LIGHT, BLUE LIGHT, STEADY ON, STROBOSCOPIC FUNCTION CAN
MEASURING TIME	5 SECONDS